Author Index

Accorsi, C. A. and Blo, G.
Determination of volatile and non-volatile organic acids in technical sugar solutions by ion-exclusion chromatography 555(1991)65
Almazova, T. V., see Tennikova, T. B. 555(1991)97
Baron, A., see Delage, E. 555(1991)125
Belenkii, B. G., see Tennikova, T. B. 555(1991)97
Benavente, O., see Castillo, J. 555(1991)285
Bleha, M., see Tennikova, T. B. 555(1991)97
Blo, G., see Accorsi, C. A. 555(1991)65
Bohuon, G., see Delage, E. 555(1991)125
Bonanni, L., see Menichini, E. 555(1991)211
Borrego, F., see Castillo, J. 555(1991)285
Brindle, I. D., see Marvin, C. H. 555(1991)147
Brückner, H. and Gah, C.
High-performance liquid chromatographic separation of DL-amino acids derivatized with chiral variants of Sanger's reagent 555(1991)81
Caldwell, K. D., see Li, J. 555(1991)260
Cao, X. L., Colenutt, B. A. and Sing, K. S. W.
Study of microporous carbons by gas chromatographic determination of heats of physisorption 555(1991)183
Castillo, J., Benavente, O., Borrego, F. and Del Rio, J. A.
Analysis of commercial hesperidin methyl chalcone by high-performance liquid chromatography 555(1991)285
Cecconi, O., Ruggieri, S. and Mugnai, G.
Use of N-acetylpsychosine as internal standard for quantitative high-performance liquid chromatographic analysis of glycosphingolipids 555(1991)267
Chai, T. J., see Liu, C. Y. 555(1991)291
Checchini, L., see Rodriguez, O. M. 555(1991)221
Chen, J., see Fritz, J. S. 555(1991)329
Chen, M.J., see Liu, C.Y. 555(1991)291
Cheng, C. and Huang, L.-H.
Application of ligand-exchange chromatography to the assay of L-alanine from DL-aspartic acid by *Pseudomonas dacunhae* 555(1991)272
Chiba, M., see Marvin, C. H. 555(1991)147
Colenutt, B. A., see Cao, X. L. 555(1991)183
Corradetti, E., see Menichini, E. 555(1991)211
Delage, E., Bohuon, G., Baron, A. and Drilleau, J.-F.
High-performance liquid chromatography of the phenolic compounds in the juice of some French cider apple varieties 555(1991)125
Del Rio, J. A., see Castillo, J. 555(1991)285
DeLuca, P. P., see Lee, K. C. 555(1991)73
Deratani, A., see Thuaud, N. 555(1991)53
Desideri, P. G., see Rodriguez, O. M. 555(1991)221
Di Domenico, A., see Menichini, E. 555(1991)211
Drilleau, J.-F., see Delage, E. 555(1991)125
Duch, D. S., see Mullin, R. J. 555(1991)254
Dutoit, J.-C.
Gas chromatographic retention behaviour of some solutes on structurally similar polar and non-polar stationary phases 555(1991)191
Font, G., see Moltó, J. C. 555(1991)137
Fritz, J. S. and Chen, J.
Ion-exchange in analytical chemistry (by H. E. Walton and R. D. Rocklin) (Book Review) 555(1991)329
Gah, C., see Brückner, H. 555(1991)81
Hall, C. D., see Marvin, C. H. 555(1991)147
Hirokawa, T., Taka, T., Yokota, Y. and Kiso, Y.
Dilution effect of carbonate ion on isotachophoretic zones observed with scanning UV photometric detection 555(1991)247
Hirokawa, T., Yokota, Y., Takaba, H., Nakahara, K. and Kiso, Y.
Isotachophoretic analyser with options for operational electrolyte selection and repeated analysis 555(1991)321
Huang, L.-H., see Cheng, C. 555(1991)272
Janas, J., see Voelkel, A. 555(1991)205
Jefferies, T. M., see Patel, H. B. 555(1991)21
King, D. N., see Patel, H. B. 555(1991)21
Kiso, Y., see Hirokawa, T. 555(1991)247
Kiso, Y., see Hirokawa, T. 555(1991)321
Lagu, A. L., see Strege, M. A. 555(1991)109
Lau-Cam, C. A., see Roos, R. W. 555(1991)278
Leclercq, P. A., see Pacáková, V. 555(1991)229
Lee, K. C. and DeLuca, P. P.
Simultaneous determination of prostaglandins E_1, A_1 and B_1 by reversed-phase high-performance liquid chromatography for the kinetic studies of prostaglandin E_1 in solution 555(1991)73
Lelievre, G., see Thuaud, N. 555(1991)53
Lepri, L., see Rodriguez, O. M. 555(1991)221

Author Index

Accorsi, C. A. and Blo, G.
Determination of volatile and non-volatile organic acids in technical sugar solutions by ion-exclusion chromatography 555(1991)65
Almazova, T. V., see Tennikova, T. B. 555(1991)97
Baron, A., see Delage, E. 555(1991)125
Belenkii, B. G., see Tennikova, T. B. 555(1991)97
Benavente, O., see Castillo, J. 555(1991)285
Bleha, M., see Tennikova, T. B. 555(1991)97
Blo, G., see Accorsi, C. A. 555(1991)65
Bohuon, G., see Delage, E. 555(1991)125
Bonanni, L., see Menichini, E. 555(1991)211
Borrego, F., see Castillo, J. 555(1991)285
Brindle, I. D., see Marvin, C. H. 555(1991)147
Brückner, H. and Gah, C.
High-performance liquid chromatographic separation of DL-amino acids derivatized with chiral variants of Sanger's reagent 555(1991)81
Caldwell, K. D., see Li, J. 555(1991)260
Cao, X. L., Colenutt, B. A. and Sing, K. S. W.
Study of microporous carbons by gas chromatographic determination of heats of physisorption 555(1991)183
Castillo, J., Benavente, O., Borrego, F. and Del Rio, J. A.
Analysis of commercial hesperidin methyl chalcone by high-performance liquid chromatography 555(1991)285
Cecconi, O., Ruggieri, S. and Mugnai, G.
Use of N-acetylpsychosine as internal standard for quantitative high-performance liquid chromatographic analysis of glycosphingolipids 555(1991)267
Chai, T. J., see Liu, C. Y. 555(1991)291
Checchini, L., see Rodriguez, O. M. 555(1991)221
Chen, J., see Fritz, J. S. 555(1991)329
Chen, M.J., see Liu, C.Y. 555(1991)291
Cheng, C. and Huang, L.-H.
Application of ligand-exchange chromatography to the assay of L-alanine from DL-aspartic acid by *Pseudomonas dacunhae* 555(1991)272
Chiba, M., see Marvin, C. H. 555(1991)147
Colenutt, B. A., see Cao, X. L. 555(1991)183
Corradetti, E., see Menichini, E. 555(1991)211
Delage, E., Bohuon, G., Baron, A. and Drilleau, J.-F.
High-performance liquid chromatography of the phenolic compounds in the juice of some French cider apple varieties 555(1991)125
Del Rio, J. A., see Castillo, J. 555(1991)285
DeLuca, P. P., see Lee, K. C. 555(1991)73
Deratani, A., see Thuaud, N. 555(1991)53
Desideri, P. G., see Rodriguez, O. M. 555(1991)221
Di Domenico, A., see Menichini, E. 555(1991)211
Drilleau, J.-F., see Delage, E. 555(1991)125
Duch, D. S., see Mullin, R. J. 555(1991)254
Dutoit, J.-C.
Gas chromatographic retention behaviour of some solutes on structurally similar polar and non-polar stationary phases 555(1991)191
Font, G., see Moltó, J. C. 555(1991)137
Fritz, J. S. and Chen, J.
Ion-exchange in analytical chemistry (by H. E. Walton and R. D. Rocklin) (Book Review) 555(1991)329
Gah, C., see Brückner, H. 555(1991)81
Hall, C. D., see Marvin, C. H. 555(1991)147
Hirokawa, T., Taka, T., Yokota, Y. and Kiso, Y.
Dilution effect of carbonate ion on isotachophoretic zones observed with scanning UV photometric detection 555(1991)247
Hirokawa, T., Yokota, Y., Takaba, H., Nakahara, K. and Kiso, Y.
Isotachophoretic analyser with options for operational electrolyte selection and repeated analysis 555(1991)321
Huang, L.-H., see Cheng, C. 555(1991)272
Janas, J., see Voelkel, A. 555(1991)205
Jefferies, T. M., see Patel, H. B. 555(1991)21
King, D. N., see Patel, H. B. 555(1991)21
Kiso, Y., see Hirokawa, T. 555(1991)247
Kiso, Y., see Hirokawa, T. 555(1991)321
Lagu, A. L., see Strege, M. A. 555(1991)109
Lau-Cam, C. A., see Roos, R. W. 555(1991)278
Leclercq, P. A., see Pacáková, V. 555(1991)229
Lee, K. C. and DeLuca, P. P.
Simultaneous determination of prostaglandins E_1, A_1 and B_1 by reversed-phase high-performance liquid chromatography for the kinetic studies of prostaglandin E_1 in solution 555(1991)73
Lelievre, G., see Thuaud, N. 555(1991)53
Lepri, L., see Rodriguez, O. M. 555(1991)221

Li, J. and Caldwell, K. D.
Improved accuracy in the determination of field-flow fractionation elution volumes 555(1991)260
Lisi, D. D., Stuart, J. D. and Snyder, L. R.
Computer simulation of gradient elution separation. Accuracy of predictions for non-linear gradients 555(1991)1
Liu, C. Y., Chen, M. J. and Chai, T. J.
N-(Hydroxymethyl)thioamide resin as stationary phase in ion-exchange chromatography for metal ion separation 555(1991)291
Luo, T., see Xie, M. 555(1991)33
Mañes, J., see Moltó, J. C. 555(1991)137
Maršálek, B., see Zahradníčková, H. 555(1991)239
Marvin, C. H., Brindle, I. D., Hall, C. D. and Chiba, M.
Rapid on-line precolumn high-performance liquid chromatographic method for the determination of benomyl, carbendazim and aldicarb species in drinking water 555(1991)147
Mazzanti, L., see Menichini, E. 555(1991)211
Menichini, E., Di Domenico, A., Bonanni, L., Corradetti, E., Mazzanti, L. and Zucchetti, G.
Reliability assessment of a gas chromatographic method for polycyclic aromatic hydrocarbons in olive oil 555(1991)211
Moltó, J. C., Picó, Y., Font, G. and Mañes, J.
Determination of triazines and organophosphorus pesticides in water samples using solid-phase extraction 555(1991)137
Mugnai, G., see Cecconi, O. 555(1991)267
Mullin, R. J. and Duch, D. S.
Preparation of a chiral matrix. Resolution of (6*R*,*S*)-N^5-formyltetrahydrofolate 555(1991)254
Nakahara, K., see Hirokawa, T. 555(1991)321
Pacáková, V. and Leclercq, P. A.
Gas chromatography–mass spectrometry and high-performance liquid chromatographic analyses of thermal degradation products of common plastics 555(1991)229
Patel, H. B., King, D. N. and Jefferies, T. M.
Application of solute and mobile phase partition coefficient to describe solute retention in reversed-phase high-performance liquid chromatography 555(1991)21
Petrukhin, O. M., see Timerbaev, A. R. 555(1991)163
Picó, Y., see Moltó, J. C. 555(1991)137
Plantinga, W. J., Van Toorn, W. G. and Van der Stegen, G. H. D.
Determination of 3-chloropropane-1,2-diol in liquid hydrolysed vegetable proteins by capillary gas chromatography with flame ionization detection 555(1991)311
Polišenská, M., see Zahradníčková, H. 555(1991)239
Purnell, J. H. and Wattan, M. H.
Theoretical and experimental comparison of serially linked and mixed-packing gas–liquid chromatography columns 555(1991)173
Reimer, G. J. and Suarez, A.
Development of a screening method for five sulfonamides in salmon muscle tissue using thin-layer chromatography 555(1991)315
Ren, Z., see Xie, M. 555(1991)33
Rodriguez, O. M., Desideri, P. G., Lepri, L. and Checchini, L.
Simultaneous separation and determination of hydrocarbons and organochlorine compounds by using a two-step microcolumn 555(1991)221
Roos, R. W. and Lau-Cam, C. A.
Utility of dansyl derivatization to the high-performance liquid chromatographic analysis of 2-phenylethylamine drugs 555(1991)278
Ruggieri, S., see Cecconi, O. 555(1991)267
Sano, M., see Yokouchi, Y. 555(1991)297
Sato, H., see Yokoyama, Y. 555(1991)155
Sebille, B., see Thuaud, N. 555(1991)53
Sing, K. S. W., see Cao, X. L. 555(1991)183
Snyder, L. R., see Lisi, D. D. 555(1991)1
Strege, M. A. and Lagu, A. L.
Anion-exchange chromatography of DNA restriction fragments 555(1991)109
Stuart, J. D., see Lisi, D. D. 555(1991)1
Suarez, A., see Reimer, G. J. 555(1991)315
Švec, F., see Tennikova, T. B. 555(1991)97
Taka, T., see Hirokawa, T. 555(1991)247
Takaba, H., see Hirokawa, T. 555(1991)321
Tennikova, T. B., Bleha, M., Švec, F., Almazova, T. V. and Belenkii, B. G.
High-performance membrane chromatography of proteins, a novel method of protein separation 555(1991)97
Thuaud, N., Sebille, B., Deratani, A. and Lelievre, G.
Retention behavior and chiral recognition of *β*-cyclodextrin-derivative polymer adsorbed on silica for warfarin, structurally related compounds and Dns-amino acids 555(1991)53

Timerbaev, A. R., Tsoi, I. G. and Petrukhin, O. M.
Correlation analysis in liquid chromatography of metal chelates. II. One-dimensional retention–mobile phase composition (physicochemical property) models in reversed-phase liquid chromatography 555(1991)163
Tsoi, I. G., see Timerbaev, A. R. 555(1991)163
Van der Stegen, G. H. D., see Plantinga, W. J. 555(1991)311
Van Toorn, W. G., see Plantinga, W. J. 555(1991)311
Voelkel, A. and Janas, J.
Attempts to use Laffort's solubility factors as polarity parameters for organic compounds in inverse gas chromatography 555(1991)205
Wattan, M. H., see Purnell, J. H. 555(1991)173
Wei, H.-C. and Wu, C.-L.
Use of a Sep-Pak cartridge for preparative collection in gas chromatography 555(1991)302
Wroński, M.
Determination of volatile thiols by gas chromatography using separation as tributyltin mercaptides 555(1991)306
Wu, C.-L., see Wei, H.-C. 555(1991)302
Xie, M., Zhou, C., Ren, Z. and Luo, T.
Experimental model for predicting solute retention time as a function of mobile phase composition in ternary reversed-phase high-performance liquid chromatography 555(1991)33
Yokota, Y., see Hirokawa, T. 555(1991)247
Yokota, Y., see Hirokawa, T. 555(1991)321
Yokouchi, Y. and Sano, M.
Trace determination of volatile organic compounds in soil based on thermal vaporization followed by Tenax-GC trapping and capillary gas chromatography–mass spectrometry 555(1991)297
Yokoyama, Y. and Sato, H.
Reversed-phase high-performance liquid chromatographic determination of linear alkylbenzenesulphonates in river water at ppb levels by precolumn concentration 555(1991)155
Zahradníčková, H., Maršálek, B. and Polišenská, M.
High-performance thin-layer chromatographic and high-performance liquid chromatographic determination of abscisic acid produced by cyanobacteria 555(1991)239
Zhou, C., see Xie, M. 555(1991)33
Zucchetti, G., see Menichini, E. 555(1991)211